

XENARC ULTRA LIFE D4S

Superior life and 10 year guarantee



10 year OSRAM guarantee

For a worry-free driving pleasure.
Register online: www.osram.com/am-guarantee



Extra lifetime

Up to four times longer lifetime compared to standard xenon lamps



More durability

For longer replacement cycles and additional reliability and comfort



The durable light with up to four times longer lifetime

XENARC ULTRA LIFE xenon lamps were developed with durability in mind. These long-life headlight lamps make life just that little bit more hassle-free, thanks to a lifetime up to four times longer compared to standard xenon lamps. Besides, these reliable lights impress with a service life up to 300,000 km (with an average annual mileage of 14,259 km and 60% light on)! For XENARC ULTRA LIFE lamps, OSRAM provides a unique 10 year guarantee for end consumers with online registration (www.osram.com/am-guarantee). Thus, you not only save money on costly replacements, but also save yourself future stress and downtime. Please note: XENARC lamp change is recommended to be carried out by a professional.

제품 데이터 시트

기술 자료


전기적 데

최대 소비 전력	35 W
공칭 전압	42.0 V
공칭 전력	35.00 W
시험 전압	13.5 V
입력전력 오차허용범위	±3 %

배광데이터

광속	3200 lm
광속 오차허용범위	±15 %
색온도	4300 K

크기 및 무게



지름	9 mm
제품무게	19.50 g
길이	75.0 mm

생명

보증	10 years
----	----------

추가 제품 정보


베이스 (표준명칭)	P32d-5
------------	--------

인증서 및 표준

ECE 범위	D4S ¹⁾
인증마크 - 인증	E1 승인

¹⁾ 승인된 전자식 안정기에서만 작동

제품 데이터 시트





기타 제품도면

물류 데이터

제품 코드	제품 설명	패키징 단위 (수량 /단위)	규격 (길이 x 너비 x 높이)	부피	총 중량
4052899425637	XENARC ULTRA LIFE D4S	개별포장박스 1	53 mm x 46 mm x 93 mm	0.23 dm ³	39.46 g
4052899425644	XENARC ULTRA LIFE D4S	출고단위포장 4	115 mm x 101 mm x 103 mm	1.20 dm ³	190.00 g
4052899425651	XENARC ULTRA LIFE D4S	출고단위포장 48	371 mm x 256 mm x 232 mm	22.03 dm ³	2531.00 g

제시된 제품코드는 주문 가능한 가장 작은 단위수량입니다. 선적단위는 하나 또는 하나 이상의 개별 제품들로 구성됩니다. 주문하실 때, 수량에 관하여는 단일 혹은 복수 선적 여부를 입력하십시오.

다운로드 데이터

파일	
	브로셔 724901_ULTRA LIFE Leaflet EN
	360 Degree Image XENARC ULTRA LIFE D4S 66440ULT

안전권고

XENARC 램프 교환은 전문가가 실시하는 것이 좋습니다.

적용 안내

더 자세한 애플리케이션 정보와 그래픽 자료는 제품 데이터 시트를 참조해 주세요.

면책 조항

예고없이 변경될 수 있음. 오류 및 누락 생략. 반드시 가장 최근 릴리즈를 사용하세요.

